

	Type	Hits	Search Text	DBs
1	BRS	178	(local near5 exchange or pbx or (private adj branch adj exchange)) with (dsl or (digital adj subscriber adj line) adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	(different\$6 adj service\$1 adj controller) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	(controller with (quality adj of adj service\$1)) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	(controller with (prioritiz\$6 or (quality adj of adj service\$1))) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	12	(different\$6 adj service\$1) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	17895	(pbx or (private adj branch adj exchange) with (dsl adj server) or (digital adj subscriber adj line adj server)) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	6	(pbx or (private adj branch adj exchange)) with (dsl adj server) or (digital adj subscriber adj line adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	17891	(pbx or (private adj branch adj exchange) with (dsl or (digital adj subscriber adj line) adj server)) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	17891	(pbx or (private adj branch adj exchange) with (dsl or (digital adj subscriber adj line adj server))) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	67	(pbx or (private adj branch adj exchange)) with (dsl or (digital adj subscriber adj line) adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	0	pbx with (dsl adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	BRS	178	(local near5 exchange or pbx or (private adj branch adj exchange)) with (dsl or (digital adj subscriber adj line) adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	private adj branch adj exchange with dsl adj server and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	(private adj branch adj exchange) with (digital adj subscriber adj line adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	(pbx) with (digital adj subscriber adj line adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	(pbx) same (digital adj subscriber adj line adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	0	(private adj branch adj exchange) same (digital adj subscriber adj line adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	private adj branch adj exchange same dsl adj server and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	exchange same dsl adj server and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	exchange same digital adj subscriber adj line adj server and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	(exchange same (dsl adj server)) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	17897	(pbx or (private adj branch adj exchange) with dsl or (digital adj subscriber adj line) adj server) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	17897	(pbx or (private adj branch adj exchange) with dsl or (digital adj subscriber adj line) adj server) and @ad<="20031110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	dsl adj server with exchange.clm.	US-PGPUB

	Type	Hits	Search Text	DBs
25	BRS	49	exchange with (dsl adj (serv\$3 or modem)) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	23322	(pbx or private adj branch adj exchange) and (@ad<="20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	dsl adj server and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB